Journal of Neuroscience Methods, 35 (1990) 287–288
Elsevier

Contents of Volume 35

Number 1 – October 1990

Publisher's announcement 1

Research papers

An improved silver staining technique as an alternative nuclear or combined nuclear nerve-fiber impregnation for comparative light-, secondary and backscattered electron scanning microscopy
D. Von Langsdorff, S.S. Ali and F. Nürnberger (F.R.G.) 3

Interference by DOPAC and ascorbate during attempts to measure drug-induced changes in neostriatal dopamine with Nafion-coated, carbon-fiber electrodes
D.J. Wiedemann, A. Basse-Tomusk, R.L. Wilson, G.V. Rebec and R.M. Wightman (U.S.A.) 9

A single-unit recording system, contact thermal probe and electromechanical stimulator for studying cellular mechanisms related to nociception at brain stem level of awake, freely moving rats
J.-L. Oliveras, G. Martin, B. Vos and J. Montagne (France) 19

Light and electron microscopic analysis of projection neurons retrogradely labeled with Fluoro-Gold: notes on the application of antibodies to Fluoro-Gold
H.T. Chang, H. Kuo, J.A. Whittaker and N.G.F. Cooper (U.S.A.) 31

Characterization of the cutaneous input to the ventral horn in vitro using the isolated spinal cord–hind limb preparation
A.E. King, S.W.N, Thompson and C.J. Woolf (U.K.) 39

Uptake of *Phaseolus vulgaris* leucoagglutinin (PHA-L) by axons of passage
B.R. Schofield (U.S.A.) 47

Replating improves whole cell voltage clamp recording of human fetal dorsal root ganglion neurons
P. Caviedes, B. Ault and S.I. Rapoport (U.S.A.) 57

An assessment of the validity of densitometric measures of striatal tyrosine hydroxylase-positive fibers: relationship to apomorphine-induced rotations in 6-hydroxydopamine lesioned rats
R.E. Burke, J.L. Cadet, J.D. Kent, A.L. Karanas and V. Jackson-Lewis (U.S.A.) 63

Effect of Triton X-100 in the Golgi-Kopsch method
H. Tokuno, Y. Nakamura, M. Kudo and Y. Kitao (Japan) 75

Automatic quantification of fast axonal transport in neuronal cell cultures
F. Cornelissen, R. Nuyens, R. Nuydens and H. Geerts (Belgium) 79

Short communication

A simple and effective method for preventing the formation of salt bridges between barrels of a multibarrel microiontophoresis electrode
W.-X. Shi and B.S. Bunney (U.S.A.) 89

Number 2 – November 1990

Publisher's announcement iii

Research papers

A precision multichannel cuff electrode optimized by simulation and experiment
M. Brunner and U.T. Koch (F.R.G.) 93

A DC electroretinography method for the recording of human a-, b- and c-waves
S. Carlson, C. Raitta, B. Kommonen and J. Voipio (Finland) 107

Brain volume estimation from serial section measurements: a comparison of methodologies
G.D. Rosen and J.D. Harry (U.S.A.) 115

A novel non-perfusion Timm method for human brain tissue
D. Jaarsma and J. Korf (The Netherlands) 125

Immunocytochemistry on free-floating sections of rat brain using microwave irradiation during the incubation in the primary antiserum: light and electron microscopy
F.G. Wouterlood, M.E. Boon and L.P. Kok (The Netherlands) 133
Three-dimensional reconstruction and quantitative evaluation of devascularizing cortical lesions in the rat
W.R.J. Funnell, D. Maysinger and A.C. Cuello (Canada) 147
A versatile dual axis programmable stepping motor controller for a personal computer: a specific application and tutorial for implementing a computer-controlled light microscope
W.G. Tourtellotte (U.S.A.) 157
Translingual approach of the basal surface of the diencephalon of the rat and retrograde labeling from the median eminence
G. Setalo and I. Merchenthaler (Hungary) 169
Comparison of the efficiencies of true blue and diamidino yellow as retrograde tracers in the peripheral motor system
P. Haase and J.N. Payne (Canada, U.K.) 175

Number 3 – December 1990

Publisher's Announcement 185

Research papers
Calibration of methods for determining numbers of dorsal root ganglion cells
R.E. Coggeshall, R. La Forte and C.M. Klein (U.S.A.) 187
A workstation interface for measuring interspike intervals
E.H. Ratzlaff and R.M. Siegel (U.S.A.) 195
The reconstruction of individual spike trains from extracellular multineuron recordings using a neural network emulation program
R.F. Jansen (The Netherlands) 203
On-line acquisition, analysis and presentation of neurophysiological data based on a personal microcomputer system
B.R. Stromquist, C. Pavlides and J.A. Zelano (U.S.A.) 215
An argyrophil-III method for the selective demonstration of mitochondria in aldehyde-fixed rat brain
F. Gallyas, H. Lohner and J.R. Wolff (Hungary, F.R.G.) 223
Video-oculographic measurement of 3-dimensional eye rotations
D. Ott, F. Gehle and R. Eckmiller (F.R.G.) 229
A small volume chamber for electrical recording from submerged brain slices and a pulse-free medium supply system using a peristalic pump
W.-X. Shi and B.S. Bunney (U.S.A.) 235
Data acquisition and analysis system for intracellular neuronal signals
D.A. Turner and M. Schlieckert (U.S.A.) 241
Evaluation of brain damage in a rat model of neonatal hypoxic-ischemia
P. Andiné, M. Thordstein, I. Kjellmer, C. Nordborg, K. Thiringer, E. Wennberg and H. Hagberg (Sweden) 253
A high speed recoil-free piezo-drive for cell impalement
U.T. Koch and A. Büschges (F.R.G.) 261
HRP-filling of neurons and axonal arbors in fixed brain slabs
M. Freire (Spain) 267
Animal ventilator controlled by central respiratory phases
K. Schmid (F.R.G.) 277

Author Index (Vol. 35) 283

Subject Index (Vol. 35) 285